

# Safety Data Sheet (SDS)

## Gripmax Waterproof

### Section 1: Identification

Product Name: Gripmax Waterproof

Recommended Use: Waterproofing membrane

Supplier: GRIPMAX

Telephone: 0402326200

Emergency Contact Number: Poisons information Centre 131 126

### Section 2: Hazard Identification

Classification: Not classified as hazardous according to GHS.

Signal Word: None

Hazard Statements:

- May cause minor eye or skin irritation with prolonged contact.
- Avoid breathing vapours or mists.

Precautionary Statements:

- Wear protective gloves and eye protection.
- Wash hands thoroughly after handling.
- Use only in well-ventilated areas.

### Section 3: Composition/Information on Ingredients

Mixture: Water-based waterproofing emulsion

Main ingredients:

- Acrylic polymer emulsion (non-hazardous)
- Additives & fillers (non-hazardous)
- Water (CAS: 7732-18-5)

Exact percentages withheld as proprietary.

### Section 4: First Aid Measures

Inhalation: Move to fresh air. Seek medical attention if symptoms persist.

Skin Contact: Wash with soap and water. If irritation occurs, get medical advice.

Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses if present. Seek medical attention if irritation persists.

Ingestion: Rinse mouth. Do not induce vomiting. Seek medical attention.

## Section 5: Firefighting Measures

Suitable Extinguishing Media: Water spray, foam, CO<sub>2</sub>, dry chemical.

Hazards from Combustion: May produce carbon oxides and fumes.

Protective Equipment: Firefighters should wear self-contained breathing apparatus.

## Section 6: Accidental Release Measures

Contain and collect spillage with absorbent materials (sand, soil, etc.).

Avoid entry into drains and waterways.

Dispose of waste according to local regulations.

## Section 7: Handling and Storage

Handling: Avoid prolonged skin contact. Use in well-ventilated areas.

Storage: Store in original container, tightly closed, in a cool, dry, well-ventilated area. Protect from frost and direct sunlight.

## Section 8: Exposure Controls/Personal Protection

Exposure Limits: No specific limits established.

Engineering Controls: Ensure adequate ventilation.

Personal Protective Equipment (PPE):

- Gloves: Nitrile or PVC gloves
- Eye: Safety glasses or goggles
- Skin: Protective clothing if risk of splashing
- Respiratory: Not normally required; use mask if spraying in enclosed spaces.

## Section 9: Physical and Chemical Properties

Appearance: Blue liquid membrane

Odour: Mild

pH: 8-9

Boiling Point: ~100°C

Flash Point: Not applicable (water-based)

Solubility: Miscible in water

VOC Content: Low

## Section 10: Stability and Reactivity

Stability: Stable under normal storage and handling conditions.

Reactivity: No known hazardous reactions.

Incompatible Materials: Strong acids, alkalis, oxidising agents.

Hazardous Decomposition: Carbon oxides under fire conditions.

## Section 11: Toxicological Information

Acute Toxicity: Low hazard.

Skin Contact: May cause mild irritation with prolonged contact.

Eye Contact: May cause irritation.

Inhalation: Vapour/mist may cause minor respiratory irritation.

Ingestion: May cause gastrointestinal discomfort.

### **Section 12: Ecological Information**

Environmental Impact: Not expected to be hazardous.

Persistence/Degradability: Polymer components are not readily biodegradable.

Bioaccumulative Potential: Low.

Mobility: Disperses in water.

### **Section 13: Disposal Considerations**

Dispose of product in accordance with local regulations.

Do not pour into drains or waterways.

Empty containers may be recycled if permitted.

### **Section 14: Transport Information**

UN Number: Not regulated.

Class: Not classified as dangerous goods.

Packing Group: None

Proper Shipping Name: Non-hazardous waterproofing product.

### **Section 15: Regulatory Information**

Classified as non-hazardous under GHS.

Workplace Health and Safety Regulations apply.

Disclaimer: The information provided is believed to be accurate and is offered in good faith.

It is the responsibility of the user to ensure safe use of the product under their working conditions.